

HS 66-398

BLACK SMELTER BOOT



by Honeywell

STYLE SPECIFICATIONS



DESCRIPTION:

Heat resistant and flame retardant leather smelter boot **Colour:** Black

Sizes: 5 - 14, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Steel & Smelter

FEATURES:

- Heat resistant and flame retardant leather upper.
- Uppers designed to assist the run-off of molten metal.
- TECtuff® toe bumper to protect against scuffing.
- Leather lining along the heel and the foot area of the boot to provide additional heat protection
- PORON XRD™ flexible, lightweight internal metatarsal guard.
- COMFORTcushion® Impact Absorption System with PORON™ protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Full breathable lining with a padded comfort collar.
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) Protection.
- Heavy Duty Nitrile Rubber dual density sole, with an in-fill comfort layer of urethane cushioning, coupled with a high density hard-wearing nitrile rubber outsole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Metatarsal
protection



NANOLite
footbed

SOLING TECHNOLOGY



300°C
Heat Resistant
sole (572° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant

OLIVER FOOTWEAR

1B, 69 Dalton Road, Thomastown
Victoria 3074 Australia

Tel: 1300 1 BOOTS (26687) Fax:
(03) 53 200 299

Email: info@oliver.com.au
www.oliver.com.au

[Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)

[@oliverfootwear](https://www.instagram.com/oliverfootwear)

Honeywell