

AT 65-490

150MM BROWN LACE UP BOOT



STYLE SPECIFICATIONS



DESCRIPTION:

Caustic and 100% waterproof CORDURA® and full grain leather, steel toe with penetration resistance.

Colour: Brown

Sizes: 4 - 16, 6½ - 12½

Replacement Lace Code: L-GB155

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

S3 rating (AS/NZS 2210.3:2009)

Waterproof and penetration resistance

Application: Agriculture / Building & Construction / Mining & Quarrying / Chemical / Oil & Gas

FEATURES:

- 100% waterproof CORDURA® and full grain leather.
- CORDURA® offers high abrasion resistance, good chemical resistance, durability and exceptional flexibility.
- New and improved SAFETYcell® integrated TPU toe and heel and CORDURA® shell for enhanced abrasion and cut resistance.
- Heavy duty Kevlar® stitching across all critical wear seams.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Q-Flex® non metallic penetration protection insole.
- New and improved NANOLite® footbed with moisture wicking characteristics and softer materials providing additional cushioning and comfort.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- 100% waterproof technology constructed using a seam sealed membrane lining that draws moisture from the foot, whilst preventing water penetration into the boot.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole and hardwearing rubber outsole for superior durability. Resistant to 300°C surface contact.
- Premium leather upper features additional padding to support the ankle, and extends through to the tongue, providing additional comfort for the user.
- Sole resistant to mineral and organic oils and acids. Cut, split and crack resistant.
- Lighter, and more flexible allows the boot to flex more naturally with the movement of the user.
- Free running quick-adjust lacing system allows for easy adjustment, and extends the life of the laces.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NANOLite
footbed



NATUREform
wide profile Type
1 safety toe cap



Steel Safety
Toe Cap



Waterproof
footwear



SAFETYcell
protection



Midsole
penetration
protection

SOLING TECHNOLOGY



300°C
Heat Resistant
sole (572° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Antistatic
discharges static
build-up

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

AT 65-490Z

150MM BROWN LACE UP ZIP SIDED BOOT



STYLE SPECIFICATIONS



SIDE ZIPPER

DESCRIPTION:

Caustic and 100% waterproof premium full grain leather steel toe safety boot with penetration resistance.

Colour: Brown

Sizes: 4 - 16, 6½ - 12½

Replacement Lace Code: L-GB155

Standards:

AS/NZS 2210.3:2019
EN ISO 20345:2011 ASTM F2413-18
S3 rating (AS 2210.3:2019)
Waterproof & penetration resistance.

Application: Agriculture / Building & Construction / Mining & Quarrying / Chemical / Oil & Gas

FEATURES:

- 100% waterproof premium full grain leather.
- Heavy duty coated leather for ultimate durability. Highly abrasion resistant.
- Improved SAFETYcell® integrated TPU heel and toe and coated leather shell for enhanced abrasion and cut resistance.
- Convenient quick release side zip.
- Heavy duty Kevlar™ stitching across all critical seams for increased durability.
- COMFORTcushion® Impact Absorption System with PORON™ helps protect the heel and ball of your foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Q-Flex® non metallic penetration protection insole.
- New and improved NANOLite® footbed with moisture wicking characteristics and softer materials providing additional cushioning and comfort.
- Excellent slip resistant sole; SRC slip resistant classification. Electrical Hazard (EH) resistant sole.
- 100% waterproof technology constructed using a seam sealed membrane lining that draws moisture from the foot, whilst preventing water penetration into the boot.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole and hardwearing rubber outsole for superior durability. Resistant to 300°C surface contact.
- Premium leather upper features additional padding to support the ankle, and extends through to the tongue, providing additional comfort for the user.
- Sole resistant to mineral and organic oils and acids. Cut, split and crack resistant.
- Free running quick-adjust lacing system allows for easy adjustment, and extends the life of the laces.

COMFORT TECHNOLOGY



COMFORTcushion
Impact Absorption



NANOLite
footbed



NATUREform
wide profile Type
1 safety toe cap



Steel Safety
Toe Cap



Waterproof
footwear



SAFETYcell
protection



Midsole
penetration
protection



Convenient Quick
Release Zipper

SOLING TECHNOLOGY



300°C
Heat Resistant
sole (572° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical
Resistant

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

AT 65-493

150MM BROWN PULL ON RIGGERS BOOT



STYLE SPECIFICATIONS

DESCRIPTION:

Caustic and 100% waterproof premium full grain leather steel toe safety rigger's boot

Colour: Brown

Sizes: 4 - 16, 6½ - 12½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

S3 rating (AS/NZS 2210.3:2009)

Waterproof and penetration resistance

Application: Agriculture / Building & Construction / Mining & Quarrying / Chemical / Oil & Gas

FEATURES:

- 100% waterproof premium full grain leather.
- Heavy duty coated leather for ultimate durability. Highly abrasion resistant.
- Improved SAFETYcell® integrated TPU heel and toe and coated leather shell for enhanced abrasion and cut resistance.
- Heavy duty Kevlar® stitching across all critical wear seams.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Improved NANOLite® footbed with moisture wicking characteristics and softer materials provides additional cushioning and comfort.
- Internal PORON® XRD metatarsal guard.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole and hard wearing rubber outsole for superior durability. Resistant to 300°C surface contact.
- Q-Flex® non metallic penetration protection insole.
- Sole resistant to mineral and organic oils and acids. Cut, split and crack resistant.
- Pull on loops for easy donning.
- Lighter weight for greater flexibility and productivity.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NANOLite
footbed



NATUREform
wide profile Type
1 safety toe cap



Steel Safety
Toe Cap



Waterproof
footwear



SAFETYcell
protection



Midsole
penetration
protection



Metatarsal
protection

SOLING TECHNOLOGY



300°C
Heat Resistant
sole (572° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Antistatic
discharges static
build-up

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

AT 65-791

350MM BLACK LACED IN ZIP MINING BOOT



STYLE SPECIFICATIONS

DESCRIPTION:

100% waterproof premium full grain leather steel toe mining boot

Colour: Black

Sizes: 4 - 16, 6½ - 12½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

S3 rating (AS/NZS 2210.3:2009)

Waterproof and penetration resistance

Application: Mining & Quarrying /
Chemical / Oil & Gas

FEATURES:

- 100% waterproof premium full grain leather.
- New Y-Guard TPU ankle protector on both sides of the boot provides impact resistance to the ankle and lower leg, and superior torsional support.
- Flush, integrated zip contours to the boot, providing full flexibility and support and allows a custom fit to your leg shape.
- Reflective panel above the heel provides additional safety for increased visibility in low lighting situations.
- New and improved SAFETYcell® integrated TPU heel and toe and coated leather shell for enhanced abrasion and cut resistance.
- Heavy duty Kevlar® stitching across all critical wear seams.
- Increased padding through tongue and leg for increased support and stability.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Improved NANOLite® footbed with moisture wicking characteristics and softer materials provides additional cushioning and comfort.
- Q-Flex® non metallic penetration protection insole.
- 100% waterproof technology constructed using a seam sealed membrane lining that draws moisture from the foot, whilst preventing water penetration into the boot.
- Internal PORON® XRD metatarsal guard.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole and hardwearing rubber outsole for superior durability. Resistant to 300°C surface contact.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NANOLite
footbed



NATUREform
wide profile Type
1 safety toe cap



Steel Safety
Toe Cap



Waterproof
footwear



SAFETYcell
protection



Midsole
penetration
protection



Metatarsal
protection

SOLING TECHNOLOGY



300°C
Heat Resistant
sole (572° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Antistatic
discharges static
build-up

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY