



C-9130



MARKET FIRST -21 GAUGE CUT D!

PERFORMANCE STANDARDS





CUT RESISTANCE RATING ACCORDING TO NEW EN388: 2016 STANDARD

0 0 0 0 CUT LEVEL X A B C D E F **FORCE TO CUT** ≥ 15N (1529g) < 22N (2243g) CUT RISK ASSESSMENT Medium/ High

THE FIRST AND ONLY 21 GAUGE CUT LEVEL D NITRILE **GLOVE ON THE MARKET**

If you want near "bare hand" experience but still exceptional cut resistance, the Cut D UltraLite is your only option. These ultralightweight, ergonomically designed gloves can be used on touchscreens and offer all-round breathability and dexterity to help you get the tough jobs done safely.

FEATURES

- + Super lightweight 21 gauge Cut Level D glove
- Touchscreen compatible
- + Excellent fit, breathability and performance
- + Oeko-Tex® 100. Sanitized® and dermatologically accredited
- + Sizes 6 to 12



Why BSI Certification: By certifying with BSI, Safety Mate demonstrates to users of our products, that they not only use industry-respected best practices but also choose to work with the organization that developed many of these standards. As a highly trusted global regulator, BSI tests products against industry recognised standards. In a world where safety is of paramount importance, BSI and its logo offer additional value and guarantees that products have been expertly tested to market-leading standards of quality, safety and durability.

TECHNOLOGIES



CUTD



















PRODUCT DISCLAIMER: Gloves that provide cut resistance are not cut-proof. The risk for these sorts of injuries will not be completely eliminated or prevented by the use of gloves. Cut resistant gloves are not intended to provide protection against powered rotated blades or equipment, serrated or other sharp or rotating equipment. It is the responsibility of companies and/ or glove users to perform their own testing to determine the suitability for a particular application or use within the environment the gloves are to be used. Safety Mate Pty Ltd may revise this information as new information, knowledge or experience becomes available. EN407 tests are performed on the palm part of gloves only.









