

Data sheet IGNITE TRION





GENERAL

| Art. no.: | G-AUS-1131-XXL/5XL | E-class number: | 40-02-01-02 |
|-----------|--------------------|-----------------|-------------|
| EAN: | 4030281227113 | Customs no.: | 63079098 |



Data sheet

IGNITE TRION

The new high-performance full body harness for industry and trade is uncomplicated and very easy to buckle on.

The harness scores with extremely flexible adjustments of belt straps that are passed through the thin but effective hip padding.

Due to its asymmetric shape, the padding ensures that the buckle does not exert any pressure in the abdominal area.

Ergonomic Pole Strap alloy D-rings are perfectly folded in at the hip without interfering.

They are unfolded for use and maintain their position after snapping.

The innovative OKTALOCK click buckles made of stainless steel include new adjustment elements

that eliminate undesirable loosening of the belt strap during movement and obviate the need for readjusting during work.

Functionality and ergonomics in abundance

- · asymmetric padding with integrated belt guide
- · 4 buckles allow individual adjustments
- · Pole Strap D-rings fit the hip ergonomically
- · Alloy Dorsal& Sternal attachment points
- · Adjustable Confined Space loops

GENERAL

Internat. standard:

AS/NZS 1891.1:2007

FEATURES

| Colour: | | | | |
|--|----------------------|--|--|--|
| | | | | |
| black / orange / anthracite | | | | |
| Fall indicator | | | | |
| Shoulder or leg padding: | yes | | | |
| Belt strap coiler: | yes | | | |
| Hand-washing: | 40 °C | | | |
| Click buckles: | yes | | | |
| Lanyard Parking-Rings: | yes | | | |
| Max. service life: | 10 Years | | | |
| Max. number of persons: | 1 | | | |
| Rated load: | 140 KG | | | |
| Attachment Points: | | | | |
| dorsal attachment point, sternal attachment point, | | | | |
| pole strap attachment point, rescue eyelet | | | | |
| Back support: | yes | | | |
| Temperature: | from 45 °C to -35 °C | | | |



DIMENSIONS

| Size: | XXL/5XL |
|-------------|----------|
| Waist size: | 90-140cm |
| Weight: | 2,34 kg |

MATERIAL

| Material: | | | | |
|---------------------------------------|-----------------|--|--|--|
| Polyester, Aluminium, Steel | | | | |
| Webbing material: | Polyester | | | |
| Sternal attachment point material: | | | | |
| Aluminium | | | | |
| Pole strap attachment point material: | | | | |
| Aluminium | | | | |
| Rescue eyelet material: | Polyester | | | |
| Dorsal attachment point material: | | | | |
| Aluminium | | | | |
| Material Click buckle: | Stainless Steel | | | |