

Data sheet IGNITE ARGON





GENERAL

Art. no.:	G-AUS-1133-XS/M	E-class number:	40-02-01-02
EAN:	4030281227168	Customs no.:	63079098



Data sheet IGNITE ARGON

A solid safety harness for rope access that impresses through many improvements in ergonomics and usability with very high wearing comfort. In developing this special safety harness in V-design, great importance was attached to ergonomic adjustments and optimum freedom of movement. The extremely flexible leg joint is a major contributor to this achievement. The retaining eyelets adapted to the body shape cling perfectly to the hip in folded and unfolded state. In addition, the anatomically shaped leg and hip padding ensures that no pressure points develop when sitting in the safety harness even during long working days. This makes the IGNITE ARGON a true comfort miracle.

Perfectly adjustable safety harness for rope access:

- anatomically shaped padding for maximum wearing comfort

- chest eyelet for belay, but also for rescue

- optimal freedom of movement without pressure points

GENERAL

Internat. standard:

AS/NZS 1891.1:2007

FEATURES

Colour:				
black / orange / anthracite				
Fall indicator				
Shoulder or leg padding:	yes			
Belt strap coiler:	yes			
Hand-washing:	40 °C			
Click buckles:	yes			
Lanyard Parking-Rings:	yes			
Gear loop:	yes			
Max. service life:	10 Years			
Max. number of persons:	1			
Rated load:	140 KG			
Attachment Points:				
dorsal attachment point, sternal attachment point,				
pole strap attachment point, seat attachment point				
Patent				
Back support:	yes			
Temperature:	from 45 °C to -35 °C			



DIMENSIONS

Size:	XS/M
Waist size:	85 - 105 cm
Weight:	3,42 kg

MATERIAL

Material:				
Polyester, Aluminium, Steel				
Webbing material: Polyester				
Sternal attachment point material:				
Aluminium				
Pole strap attachment point material:				
Aluminium				
Dorsal attachment point material:				
Aluminium				
Seat attachment point material:				
Aluminium				
Material Click buckle: Stainless Steel				
Seat attachment point material: Aluminium				