COMBINING STYLE AND PROTECTION

The blue mirror polarised version is water-repellent and repels heat, reducing glare and providing optimum protection. This spec is ideal for off-shore activities.

Also available in a clear, smoke and grey/green polarised versions.





1652601 :Clear Lens



1652602 : Smoke Lens



1652607: Grey/Green Polarised Lens



1652618 : Blue Flash Polarised Lens

32 g

- **NEW BLUE MIRROR POLARISED VERSION REPELS HEAT AND WATER** Ŧ
- **HIGH GLOSS, NYLON FRAME** +
- + **RUBBER NOSE PADS FOR NON-SLIP FIT**
- **EVA* TEMPLE TIPS FOR SUPERIOR COMFORT**
- **8 BASE CURVE**
- POLARISED VERSIONS REDUCE GLARE AND **PROVIDES OPTIMUM PROTECTION**

-) F-) F

HUSTLE AND PROTECTION

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
HUSTLER	Clear	1652601	Ю	AS/NZS 1337.2010	Anti-scratch/Anti-fog
	Smoke	1652602	13	AS/NZS 1337.2010	Anti-scratch/Anti-fog
	Grey/Green Polarised	1652607	13	AS/NZS 1337.2010	Hardcoat
	Blue Mirror Polarised	1652618	13	AS/NZS 1337.2010	Anti-scratch/Anti-fog

LENS MARKING

- I. The letter 'I' signifies 'Medium Impact' approval.
- **O.** The letter 'O' signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un–tinted'. This marking appears on all clear, amber and contrast lenses.

OCULAR LENS CATEGORY:

O. Range of luminous transmittance 80-100% (Clear).

 Range of luminous transmittance 8 -18% (Smoke, Blue Mirror Polarised & Grey/Green polarised).

CHARACTERISTICS				
LENSES	PC - 2,2 mm - Curve 8			
FRAME	High gloss Nylon			
TEMPLES	Nylon + insert EVA			
STRAP	Non Applicable			
FOAM	Non Applicable			
SPARE LENSES	No			

LENSES

- 2mm polycarbonate.
- 8 base curve.
- 'ALS' anti-fog/anti-scratch coating on Clear, Smoke and Blue Mirror Polarised lenses (AS outside & AF inside).
- Hard Coat on Grey/Green Polarised.
- 100% UV 385 Clear.
- 100% UV 400 Smoke, Polarised & Blue Mirror Polarised.

FRAME MARKING

AS/NZS 1337.1.2010: Tested and approved to. AS/NZS 1337.1.2010 - Medium Impact protection. Resists a 6mm at 45 m/s.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

ASIA/PACIFIC HEADQUARTERS: Bollé Australia Pty Ltd 32–40 Fairchild Street Heatherton VIC 3202 T: 1300 138 098 E: safety@bolle.com.au NEW ZEALAND: T.: 0800 2655 369 E: bolle@bolle.co.nz

bollé SAFETY

15/06/2018

bollesafety.com.au