Calibr8

CLEAR LENS





Features

- ▲ Certified medium impact rated protection to AS/NZS 1337.1:2010
- Diamond Tech Hardcoat is extremely scratch resistant and resists acid and solvent degradation
- Hydro Tech AF is a washable hydrophilic coating that prevents fog forming on the lens. A great coating for hot and humid conditions
- The FlexPro browguard curves and cushions the forehead. Airflow is maximised through its venting system
- ▲ 4-way adjustable side arms allow calibration to any face shape
- ▶ Flexbridge II offers finger like cushioning to the nose bridge assuring the most comfortable fit
- ▶ Premium non slip TPR is used to create Force360's Comfort Side Arms. This co-moulded feature reduces pressure and wearer fatigue
- Dielectric construction means no metal parts are used, ensuring they can be used in applications where static electricity is a hazard

Standards & Certification

Force360 recognise that without product certification by a Notified Body all product performance testing, and adherence to standards claims cannot be independently verified.

If they are not as claimed, serious safety implications for the wearer, and legal implications for the supplier and even the employer may arise.

Force360 source their entire range of FPR eye protection from a single manufacturing partner to ensure consistency and reliability of product, but most importantly Force360 have taken the further step of engaging a globally recognised Notified Body to audit and certify both the manufacturing process and the products.

All of Force360's eye protection is certified to the latest AS/NZS eye protection standards.



Specfications

Part No. EFPR835 **Lens Colour** Clear Lens **VLT Rating** 92% **Lens Shade Category** 0

Packaging



Alternative Lens Options



EFPR836 Smoke



EFPR837 Silver Mirror



FFPR838 Clear Mirror



EFPR839 Red Mirror



EFPR903 Polarised

EFPR835

Key Technologies



Medium Impact

Certified medium impact rated protection to AS/NZS 1337.1:2010.



Diamond Tech HardCoat

Force360 uses its own Diamond Tech Hardcoat on all FPR lenses. Diamond Tech Hardcoat is extremely scratch resistant and resists acid and solvent degradation as well as scratches from dusts and debris.



Hydro Tech AF

Force360 uses its HydroTech Anti Fog coating on most FPR safety lenses. HydroTech AF is a washable hydrophilic based coating providing an anti static finish that repels dusts and particles and prevents fog forming on the lens, the ideal coating for hot and humid conditions.



Flexpro Browguard

The FlexPro browguard curves and cushions the forehead. Airflow is maximised through its venting system.



4-Way Adjustable Hinge

4-way adjustable side arms allow calibration to any face shape.



Dielectric Build

Dielectric construction means no metal parts are used, ensuring they can be used in applications where static electricity is a hazard.



Comfort Side Arms

Premium non slip TPR is used to create Force360's Comfort Side Arms. This co-moulded feature reduces pressure and wearer fatique



Flexbridge II

Flexbridge II offers finger like cushioning to the nose bridge assuring the most comfortable fit



UV400

UV400 Polycarbonate lenses offer the wearer the best protection against UVA and UVB damaging rays. 100% protection is the standard across the entire Force360 FPR eyewear range.



Radiation Guide

UVA/UVB 280-380nm	UV light rays from the sun are invisible to the eye yet can cause serious damage including corneal blistering, cataracts, premature aging, conjunctivitis and partial blindness						
Visible Light 380-780nm	Intense visual bright light can cause retina damage and create visual perception issues						
Blue Light 380-500nm	Blue light rays from the sun or artificial lighting like neons, cause eye strain and fatigue. Colours and definition can be adversely affected. In extreme cases blindness can occur						
Infra Red Light 780-1400nm	Infra Red rays from the sun or mechanically heat generating applications like gas welding can cause eye dryness and corneal damage, macular degeneration and blindness						

Range Specifications

•									
Force360 Code	Product Name	Lens Type	Coating	OC Category	Lens Markings	UV Light Absorption: 280-380NM	Visible Light Transmission: 380-780NM	Blue Light Absorption: 380-500NM	Infrared Light Absorption: 780NM- 1400NM
EFPR835	Calibr8	clear	AF/HC	0	100	100%	92%	13%	12%
EFPR836	Calibr8	smoke	AF/HC	2	12	100%	23%	78%	45%
EFPR837	Calibr8	silver mirror	НС	2	12	100%	23%	78%	43%
EFPR838	Calibr8	clear mirror	НС	1	l1	100%	48%	63%	34%
EFPR839	Calibr8	red mirror	HC	3	13	100%	15%	86%	55%
EFPR903	Calibr8	polarised	HC	3	13	100%	12%	87%	12%

Eyewear Care

Force360 recommends eyewear is cleaned using Force360's exclusive FogOff non alcohol spec wipe. Part number EFPR950.

